

SAFETY DATA SHEET

according to US Regulation 29 CFR 1910.1200 and the Canadian HPA

APPLIED BIOCHEMISTS TILE MAX PLUS

Version 2.1

Revision Date 2020.05.29

Print Date 2020.05.29

SECTION 1. IDENTIFICATION

Product name : APPLIED BIOCHEMISTS TILE MAX PLUS

Manufacturer or supplier's details

Company : Innovative Water Care, LLC
1400 Bluegrass Lakes Parkway
Alpharetta, GA
30004

Telephone : 1-800-511-6737 (Outside the USA: 1-423-780-2347)
E-mail address : sds@sigurawater.com
Emergency telephone number : 1-800-654-6911 (Outside the USA: 1-423-780-2970)

Recommended use of the chemical and restrictions on use

Recommended use : Water treatment chemical

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Corrosive to metals : Category 1
Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 3
Skin corrosion : Sub-category 1B
Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H331 Toxic if inhaled.

APPLIED BIOCHEMISTS TILE MAX PLUS

Precautionary statements

: **Prevention:**

P234 Keep only in original packaging.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P406 Store in a corrosion resistant container with a resistant inner liner.

Disposal:

P501 Dispose of contents/container in accordance with local regulation.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Hazardous components

Chemical name / Synonyms	CAS-No.	Concentration (% w/w)
Tallow alkyl amines, ethoxylated	61791-26-2	10 - 20
Sulphuric acid	7664-93-9	10 - 15
Hydrochloric acid (in water)	7647-01-0	6 - 12
Orthophosphoric acid	7664-38-2	5 - 10
Alcohols, C12-14-secondary, ethoxylated	84133-50-6	1 - 3

APPLIED BIOCHEMISTS TILE MAX PLUS

SECTION 4. FIRST AID MEASURES

If inhaled	:	IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. If not breathing, give artificial respiration. Call for medical assistance.
In case of skin contact	:	IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing comes in contact with the product, the clothing should be removed immediately and laundered before re-use. Seek medical attention if irritation develops.
In case of eye contact	:	IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately.
If swallowed	:	IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	None known.
Notes to physician	:	Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Specific hazards during firefighting	:	Material will not ignite or burn. Reacts with most metals to form flammable hydrogen gas.
Further information	:	In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus. Use water spray to cool unopened containers.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to boots, impervious gloves, hard hat, splash-proof goggles, impervious clothing, i.e., chemically impermeable suit, self-contained breathing apparatus. Prevent further leakage or spillage if safe to do so. Use personal protective equipment as required. Evacuate personnel to safe areas. Remove all sources of ignition.
Environmental precautions	:	If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for contain-	:	Contain spillage, soak up with non-combustible absorbent

APPLIED BIOCHEMISTS TILE MAX PLUS

ment and cleaning up

material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Do not flush into surface water or sanitary sewer system.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not take internally.
Avoid contact with skin, eyes and clothing.
If in eyes or on skin, rinse well with water.
Avoid breathing vapours, mist or gas.
- Conditions for safe storage : Store in a cool, dry and well ventilated place. Isolate from incompatible materials.
Do not freeze.
- Materials to avoid : Refer to Section 10, "Incompatible Materials."

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sulphuric acid	7664-93-9	(Thoracic fraction.)		ACGIH
		TWA (Thoracic fraction.)	0.2 mg/m ³	ACGIH
		REL	1 mg/m ³	NIOSH/GUIDE
Hydrochloric acid (in water)	7647-01-0		2 ppm	ACGIH
		Ceil_Time	5 ppm 7 mg/m ³	NIOSH/GUIDE
Orthophosphoric acid	7664-38-2	TWA	1 mg/m ³	ACGIH
		STEL	3 mg/m ³	ACGIH
		REL	1 mg/m ³	NIOSH/GUIDE
		STEL	3 mg/m ³	NIOSH/GUIDE

- Engineering measures** : Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.

Personal protective equipment

- Respiratory protection : Wear a NIOSH approved respirator if levels above the exposure limits are possible.
A NIOSH approved full-face air purifying respirator with acid gas cartridge and N-95 filter. Air purifying respirators should

APPLIED BIOCHEMISTS TILE MAX PLUS

Hand protection	not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.
Remarks	: Avoid contact with skin. Impervious gloves Boots Apron A full impervious suit is recommended if exposure is possible to a large portion of the body.
Eye protection	: Chemical resistant goggles must be worn. Face-shield
Skin and body protection	: Neoprene butyl-rubber Natural Rubber
Protective measures	: Ensure that eyewash stations and safety showers are close to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: beige, to, dark brown
Odour	: no data available
Odour Threshold	: no data available
pH	: 0.0 - 2.0
Melting point/freezing point	: Not applicable
Boiling point/boiling range	: 212 °F / 100 °C
Flash point	: no data available
Evaporation rate	: no data available
Flammability (solid, gas)	: Product is not known to be flammable, combustible, pyrophoric or explosive.
Flammability (liquids)	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: not determined
Relative vapour density	: > 1
Relative density	: 1.1 - 1.2 (68 °F / 20 °C)
Bulk density	: no data available
Water solubility	: soluble in cold water
Partition coefficient: n-octanol/water	: Not applicable

APPLIED BIOCHEMISTS TILE MAX PLUS

Auto-ignition temperature	:	no data available
Decomposition temperature	:	no data available
Viscosity, dynamic	:	no data available
Viscosity, kinematic	:	no data available

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reactions	:	Stable under normal conditions.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Strong oxidizing agents Bases Amines Metals Alkalis
Hazardous decomposition products	:	Hydrogen chloride

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure :

Eyes
Skin
Ingestion
Inhalation

Acute toxicity

Acute oral toxicity	:	LD50 (Rat): Believed to be approximately 1,700 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): Believed to be approximately 2.95 mg/l Exposure time: 1 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): Believed to be > 2,000 mg/kg

Acute toxicity (other routes of administration) :

Remarks: This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous membranes and respiratory tract.

Skin corrosion/irritation

Result: Corrosive to skin

Serious eye damage/eye irritation

Result: Corrosive to eyes

APPLIED BIOCHEMISTS TILE MAX PLUS

Respiratory or skin sensitisation

Remarks: This material is not known or reported to be a skin or respiratory sensitizer.

Carcinogenicity

Remarks: The International Agency for Research on Cancer (IARC) has determined that occupational exposure to strong inorganic acid mists containing sulfuric acid is carcinogenic to humans (group 1).

IARC	Group 1: Carcinogenic to humans Sulphuric acid	7664-93-9
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.	
NTP	Known to be human carcinogen Sulphuric acid	7664-93-9
ACGIH	Suspected human carcinogen Sulphuric acid	7664-93-9

Repeated dose toxicity

Remarks: Not known or reported to cause subchronic or chronic toxicity.

Further information

Remarks: no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxicity to fish : LC50: Believed to be approximately 2.58 mg/l
Method: Calculation method

Persistence and degradability

no data available

Bioaccumulative potential

Components:

Sulphuric acid:

Partition coefficient: n-octanol/water : Remarks: Not applicable

Mobility in soil

no data available

Other adverse effects

APPLIED BIOCHEMISTS TILE MAX PLUS

- Ozone-Depletion Potential : Regulation: US. EPA Clean Air Act (CAA) Section 602 Ozone-Depleting Substances (40 CFR 82, Subpt. A, App A & B)
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
- Additional ecological information : Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.
-

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D002.
As a hazardous liquid waste it must be disposed of in accordance with local, state and federal regulations.
-

SECTION 14. TRANSPORT INFORMATION

DOT

- UN number** : 3264
Proper shipping name : Corrosive liquid, acidic, inorganic, n.o.s.
(hydrochloric acid, Sulphuric acid)
Transport hazard class : 8
Packing group : II
Labels : 8
Emergency Response Guidebook : 154
Number
Environmental hazards : no

APPLIED BIOCHEMISTS TILE MAX PLUS

TDG

UN number : 3264
Proper shipping name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
(hydrochloric acid, Sulphuric acid)
Transport hazard class : 8
Packing group : II
Labels : 8
Environmental hazards : no

IATA

UN number : 3264
Proper shipping name : Corrosive liquid, acidic, inorganic, n.o.s.
(hydrochloric acid, Sulphuric acid)
Transport hazard class : 8
Packing group : II
Labels : 8
Environmental hazards : no

IMDG

UN number : 3264
Proper shipping name : Corrosive liquid, acidic, inorganic, n.o.s.
(hydrochloric acid, Sulphuric acid)
Transport hazard class : 8
Packing group : II
Labels : 8
EmS Number 1 : F-A
EmS Number 2 : S-B
Environmental hazards : Marine pollutant: no

ADR

UN number : 3264
Proper shipping name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
(hydrochloric acid, Sulphuric acid)
Transport hazard class : 8
Packing group : II
Classification Code : C1
Hazard Identification Number : 80
Labels : 8
Environmental hazards : no

APPLIED BIOCHEMISTS TILE MAX PLUS

RID

UN number	: 3264
Proper shipping name	: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (hydrochloric acid, Sulphuric acid)
Transport hazard class	: 8
Packing group	: II
Classification Code	: C1
Hazard Identification Number	: 80
Labels	: 8
Environmental hazards	: no
Special precautions for user	: none
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	: Not applicable

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sulphuric acid	7664-93-9	1000	7168

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sulphuric acid	7664-93-9	1000	7168

SARA 311/312 Hazards

See above: SECTION 2. Hazard Identification-GHS Classification

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Concentration
Sulphuric acid	7664-93-9	>= 10 - < 20 %

SARA 313

Components	CAS-No.	Concentration
Sulphuric acid	7664-93-9	10 - 15 %
Hydrochloric acid (in water)	7647-01-0	6 - 12 %



APPLIED BIOCHEMISTS TILE MAX PLUS

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

Components	CAS-No.	Concentration
Hydrochloric acid (in water)	7647-01-0	6 - 12 %

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

Components	CAS-No.	Concentration
Sulphuric acid	7664-93-9	10 - 15 %
Hydrochloric acid (in water)	7647-01-0	6 - 12 %

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

Components	CAS-No.	Concentration
Polyethylene glycol	25322-68-3	0.01 - 0.1 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Components	CAS-No.	Component RQ (lbs)
Sulphuric acid	7664-93-9	1000
Hydrochloric acid (in water)	7647-01-0	5000
Orthophosphoric acid	7664-38-2	5000

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Components	CAS-No.	Concentration
Sulphuric acid	7664-93-9	10 - 15 %
Hydrochloric acid (in water)	7647-01-0	6 - 12 %
Orthophosphoric acid	7664-38-2	5 - 10 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

Components	CAS-No.
Sulphuric acid	7664-93-9
Hydrochloric acid (in water)	7647-01-0



APPLIED BIOCHEMISTS TILE MAX PLUS

Orthophosphoric acid	7664-38-2
----------------------	-----------

Pennsylvania Right To Know

Components	CAS-No.
Water	7732-18-5
Tallow alkyl amines, ethoxylated	61791-26-2
Sulphuric acid	7664-93-9
Hydrochloric acid (in water)	7647-01-0
Orthophosphoric acid	7664-38-2

New Jersey Right To Know

Components	CAS-No.
Water	7732-18-5
Tallow alkyl amines, ethoxylated	61791-26-2
Sulphuric acid	7664-93-9
Hydrochloric acid (in water)	7647-01-0
Orthophosphoric acid	7664-38-2

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Canadian lists

NPRI

Components	CAS-No.
Sulphuric acid	7664-93-9
Hydrochloric acid (in water)	7647-01-0

The components of this product are reported in the following inventories:

TSCA : The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : US. ACGIH Threshold Limit Values
NIOSH/GUIDE : US. NIOSH: Pocket Guide to Chemical Hazards, as amended

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances

APPLIED BIOCHEMISTS TILE MAX PLUS

es (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

First formulated version in SAP.

Arch is a wholly-owned subsidiary of Lonza and continues to operate as Arch Chemicals, Inc.

Revision Date : 2020.05.29

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Date format : yyyy/mm/dd
US / EN